
## 5 1 CO CO TO TO TO TO THE TO THE TOTAL THE TOTAL TO THE TOTAL THE TOTAL TO THE TOTAL THE TOTAL TO THE TOTAL THE TOTAL TO THE TOTAL TO THE TOTAL THE THE TOTAL THE THE TOTAL THE THE TOTAL THE THE TO


## What is claimed is:

1. A compound defined by the following formula:



wherein  $R_1$  and  $R_2$  are identical or different and are independently a straight-chain or branched alkyl group having from 1 to 22 carbon atoms or an aryl group substituted by  $C_1$ - $C_{22}$  alkyl, and at least one of the  $R_1$  and  $R_2$  contains one or more atoms selected from the group consisting of O, N, S, Si and Ge, and X is halogen, boric acid or boric ester.

- 2. The compound of claim 1, wherein at least one of the  $R_1$  and  $R_2$  is a polar group containing an ether bond.
- 3. The compound of claim 2, wherein at least one of the R<sub>1</sub> and R<sub>2</sub> contains 2 to 5 oxygen atoms forming an ether bond on every two carbons.
- 4. An electroluminescence (EL) polymer comprising repeating units of the following formula:



wherein R<sub>1</sub> and R<sub>2</sub> are identical or different and are independently a straight-chain or branched alkyl group having from 1 to 22 carbon atoms or an aryl group substituted



20



5

10

by C<sub>1</sub>-C<sub>22</sub> alkyl, and at least one of the R<sub>1</sub> and R<sub>2</sub> contains one or more atoms selected from the group consisting of O, N, S, Si and Ge.

- 5. The EL polymer of claim 4, wherein at least one of the R<sub>1</sub> and R<sub>2</sub> is a polar group containing an ether bond.
- 6. The EL polymer of claim 5, wherein at least one of the R<sub>1</sub> and R<sub>2</sub> contains 2 to 5 oxygen atoms forming an ether bond on every two carbons.
- 7. The EL polymer of claim 4, wherein the R<sub>1</sub> and R<sub>2</sub> are at positions 3' and 6', respectively.
- 8. The EL polymer of claim 4, wherein the R<sub>1</sub> and R<sub>2</sub> are at positions 1' and 6', respectively.
- 9. The EL polymer of claim 4, wherein at least one of the  $R_1$  and  $R_2$  is 3,6-dioxaheptyloxy or 3,6,9-trioxadecyloxy.
  - 10. An electrolyminescence element comprising:

a cathode;

an anode; and

a light-emitting layer interposed between the cathode and the anode and containing the El/ polymer as claimed in one of claims 4 through 9.

25